



ADVANCED UNIVERSAL INTERLOCK

PRODUCT MANUAL

ADVANCED UNIVERSAL INTERLOCK





THE CONTENT

Warning 04

Parts Reference 05

Product Specification 06

Setup Instructions 07

Operating Instructions 09

Maintenance 10

Troubleshooting Guide 11

Limited Warranty 12

Why Choose Us? 13

WARNINGS

READ AND FOLLOW ALL INSTRUCTIONS

To reduce the risk of injury, do not permit children to use this product.

Children must stay away from this product and electrical cord(s).

Assembly and disassembly by adults only.

Cleaning and user maintenance must be performed by adults only who understand the risk of electric shock.

Device should be installed by a qualified & experienced technician; Use in commercial settings only. Not for residential use.

Risk of electric shock. If replacement of the plug or cord is needed, use only identical replacement parts.

Always unplug this product from the electrical outlet before removing, cleaning, servicing or making any adjustment to the product.

Risk of electric shock. Connect this product only to a grounding type receptacle protected by a ground-fault circuit interrupter (GFCI) or residual current device (RCD). Contact a qualified electrician if you cannot verify that the receptacle is protected by a GFCI/RCD. Use a qualified electrician to install the GFCI/RCD, which has a maximum rate of 30mA. Do not use a portable residual current device (PRCD).

To reduce the risk of electric shock, replace damaged cord immediately. Use a qualified electrician to replace the cord.

To reduce the risk of electric shock, do not use extension cords, timers, plug adaptors or converter plugs to connect unit to electric supply; provide a properly located outlet.

Do not attempt to plug in or unplug this product while standing in water or when your hands are wet.

Do not use an appliance leakage current interrupter (ALCI) in place of a GFCI since the ALCI will not protect people.

People using medications and/or having an adverse medical history should consult a physician before using this product.

Do not use drugs or alcohol before or during the use of this product.

Do not use this product when it is snowing, raining, thundering or lightning.

Do not sit, straddle, step or exert pressure on the product as injury could occur.

Do not modify this product and/or use accessories not supplied by the manufacturer.

This product is intended to be used only for the purposes described in the manual!

FAILURE TO FOLLOW THESE WARNINGS MAY RESULT IN PROPERTY DAMAGE, ELECTRIC SHOCK, ENTANGLEMENT OR OTHER SERIOUS INJURY OR DEATH.



Safety Interlock for Pools

The Advanced Universal Interlock provides multilayer protection against accidental chlorine gas creation in pool circulation systems.

Configurable to work with all chemical controllers, feed systems, and many safety switches. Stops chemical pumps upon loss of flow.

PRODUCT SPECIFICATION

Model	AUI
Voltage	Output 120AC, 60Hz, 12 Amps Input 120AC, 60Hz, 12 Amps

SETUP INSTRUCTIONS

MOUNTING

Mount AUI vertically, on a wall with cords facing down towards the ground. Secure the AUI to the wall with screws through the keyhole mounts on the AUI sides

POWER CORD

Plug the AUI into a 120VAC, 15Amp, 60 Hz Ground Fault Circuit Interrupted (GFCI) protected outlet.

